

Memo

To: Coakley Executive Committee
From: Peter Britz, Coakley Coordinator
Date: November 21, 2022
Re: Activity report

Deep Bedrock Study

The Deep Bedrock Report has been submitted to EPA and NHDES. The report is under review by the agencies.

EPA Public Meeting/Open House

EPA hosted a public meeting at the Bethany Church in Greenland to go over the status of the site and advise people about the new screening levels for PFAS EPA is working on. Both EPA and DES presented at the meeting where about 30-40 people were present. The agencies took questions and had an open house after the presentation where people could ask specific questions of agency staff one on one.

2023 Assessment

A proposed assessment has been completed which estimates all the work for both OU-1 and OU-2 for 2023. The assessment request is for a total of \$200,000 for OU-1 and \$300,000 for OU-2. (Attached as *OU-1_OU_2_2023_Assessment*)

OU-1 AND OU-2 ASSESSMENTS				
DATE: APRIL 2022				
	OU-1		OU-2	
Portsmouth	53.553%	\$107,106	53.551%	\$160,653
N Hampton	4.062%	\$8,124	4.063%	\$12,189
Newington	5.462%	\$10,924	5.463%	\$16,389
Generators	20.000%	\$40,000	20.000%	\$60,000
BFI	12.308%	\$24,616	12.308%	\$36,924
WMI NH	4.615%	\$9,230	4.615%	\$13,845
Total	100.000%	\$200,000	100.000%	\$300,000

Southern Well Installation Workplan

We have sent access letters to property owners. We are still waiting to hear back from certain properties but expect that we will need to send a second round of letters before we determine where we will be able to gain access.

Revised Surface Water Investigation Workplan

WSP has prepared a contract to develop a revised workplan which I recommend the Committee approve. Since the submission of the Deep Bedrock Study additional work to understand the surface water groundwater interacting is being proposed through this contract. This work will build on past data collection in surface water and shallow overburden. (*Contract - Surface Water Eval Work Plan_11-16-2022*)

2022 Spring Sampling

Haley Ward has completed the spring sampling round and the associated report and uploaded the results to NHDES OneStop.

2022 Fall Sampling

WSP nearly completed all the field sampling for the fall sampling round. WSP has not been able to get permission to sample private water supply wells at a number of residences. They will continue to try to do so. Other than that, all the samples have been collected and sent to the lab for processing.

Water Service Connections

Contracts for two properties are complete and are being provided to property owners to get approval to install the new water services. One property is on Lafayette Road and the other is on Breakfast Hill Road.